

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
4 October 2001 (04.10.2001)

PCT

(10) International Publication Number  
**WO 01/72144 A1**

(51) International Patent Classification<sup>7</sup>: A23L 1/304, 2/52, A61K 7/16

(21) International Application Number: PCT/EP01/03280

(22) International Filing Date: 23 March 2001 (23.03.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
0007421.1 27 March 2000 (27.03.2000) GB

(71) Applicant (*for all designated States except US*):  
SMITHKLINE BEECHAM P.L.C. [GB/GB]; New Horizons Court, Brentford, Middlesex TW8 9EP (GB).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): BAKER, Nicola, Jane [GB/GB]; GlaxoSmithKline, The Royal Forest Factory, Coleford, Gloucestershire GL16 8JB (GB). PARKER, David, Myatt [GB/GB]; GlaxoSmithKline, The Royal Forest Factory, Coleford, Gloucestershire GL16 8JB (GB).

(74) Agent: WHITE, Susan, Mary; Corporate Intellectual Property, SmithKline Beecham, Two New Horizons Court, Brentford, Middlesex TW8 9EP (GB).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: USE OF POLYPHOSPHATE AS A TOOTH EROSION INHIBITOR IN ACIDIC COMPOSITIONS

(57) Abstract: The use of polyphosphate in acidic oral compositions, especially acid beverages with a pH between 2.2 and 5.5, to alleviate or prevent the tooth damage associated with the consumption of acid. The invention may be practised using polyphosphate alone or in combination with calcium and/or viscosity modifying polymers.

WO 01/72144 A1

## USE OF POLYPHOSPHATE AS A TOOTH EROSION INHIBITOR IN ACIDIC COMPOSITIONS

The present invention relates to the use of polyphosphate in acidic compositions for oral use such as foodstuffs, in particular acidic beverages, and oral healthcare compositions, to alleviate or prevent the tooth damage associated with consumption of acid, namely dental erosion.

Dental erosion describes the "pathologic, chronic, localised, painless loss of dental hard tissue chemically etched away from the tooth surface by acid and/or chelation without bacterial involvement" (Imfeld, 1996, Eur J. Oral Sci. 104, 151-155.). The acids causing the erosion are derived from dietary, occupational or intrinsic sources and are not products of the intraoral flora. Therefore dental erosion is a condition distinct from and different to dental caries with dis-similar etiology. With the trend towards an increase in eating and drinking frequency amongst all age groups it is likely that the incidence of dental erosion will increase. When a product such as a beverage is prepared in accordance with this invention, and introduced into the oral cavity for consumption or healthcare purposes, the dissolution or removal of calcium and phosphate from teeth by chemical processes is significantly reduced.

Lussi et al (1995, Caries Res 29, 349-354) have associated the pH and titratable acidity of a beverage with its erosive potential; the greater the concentration of acid in the beverage the more damaging to teeth it became. Similarly a study in children (Millward et al, (1994) Int. J Paed. Dent. 4, 151-157.) associated the presence of dental erosion with the consumption of acidic beverages and fruit juices.

EP 551398 discloses a method for preventing the erosion of tooth enamel by consuming an acid beverage (having a pH of less than 5.5) comprising from 0.02% to 0.15% of calcium in the form of a calcium citrate malate complex having a molar ratio of citrate to malate of 1:0.5 to 1:4.5.

WO 97/30601 discloses acid-based liquid compositions having reduced tooth erosion properties containing a calcium compound and an acidulant in which calcium is present

in the range of 0.3 to 0.80 mol per mol of acidulant and the pH of the composition is from 3.5 to 4.5.

WO 00/13531 discloses the use of viscosity modifying polymer materials, commonly  
5 used as thickening agents, stabilisers and emulsifiers, in acidic compositions for oral use to alleviate or inhibit the tooth damage associated with the consumption of acid.

The present invention is based on the discovery that effective reduction of tooth erosion  
in acidic oral compositions can be achieved by the addition of polyphosphate. For the  
10 purposes of this invention, polyphosphate is defined as a polymer of phosphate where the number of phosphate groups in the polymer (n) is at least 3 or preferably at least 4. Best practice of the invention is achieved when n is equal to or greater than 4, suitably equal to or greater than 7 and preferably equal to or greater than 12. Compositions where the average chain length (n) is from about 12 to 28 have been found to be particularly  
15 effective, for example 12, 17, 20, 21, 25 and 28.

Furthermore, it has surprisingly been found that the inhibitory effect on dental erosion due to acid is enhanced by addition of polyphosphate together with calcium or with a viscosity modulating polymer as described in WO 00/13531. Such combinations of  
20 polyphosphate and calcium or polyphosphate and a viscosity modifying polymer in an acidic composition for oral use have been found to reduce the loss of calcium and phosphate from tooth enamel to a greater extent than is conferred by addition of either calcium or viscosity modifying polymer alone. Acidic compositions for oral use which are palatable, storage stable and effective in reducing dental erosion due to acid may  
25 accordingly be formulated with less calcium per mole of acid and at lower pH values than are disclosed in WO 97/30601

Accordingly, the present invention provides the use of polyphosphate as a tooth erosion inhibitor in an acidic composition for oral administration.

30 Polyphosphates for use in the present invention will be pharmaceutically acceptable and preferably food grade materials suitable for use in foodstuffs. A preferred polyphosphate

is sodium polyphosphate. Concentrations of sodium polyphosphate for best practice of the invention are from 0.005 g/l to over 2 g/l, suitably from 0.01 g/l to 1.5 g/l, and preferably from 0.01 g/l to 1g/l. Whilst benefit from use of polyphosphate has been observed at concentrations up to and including 3g/l, the inclusion of larger quantities of polyphosphate has been found to reduce the benefit, indicating that the concentration of polyphosphate employed is an important aspect of the invention. Polyphosphoric acid applied at an equivalent molar concentration to sodium polyphosphate may also be used, as may other salts of polyphosphoric acid, such as potassium salts, provided they have suitable solubility in acidic applications. Appropriate adjustments to quantities may be required dependent upon the nature of the polyphosphate counterion present.

The invention is applicable to all acidic products for oral consumption or use. These include acidic beverages, vinegars, sauces, pickles, preserves, confectionery, frozen comestibles such as ice lollies and diverse acidic products such as acidic dairy products, and also to other substances, suitably in liquid or semi-solid form, to be taken orally such as acidic oral healthcare products, for example mouth washes, and medicines.

The invention is particularly suitable for application to a variety of solid, semi-solid or liquid foodstuffs, especially acidic beverages. These include still and carbonated alcoholic and non-alcoholic beverages, for example fruit drinks, ciders and wines and in particular health drinks such as blackcurrant juice drinks or vitamin added beverages. The invention also extends to concentrates and powdered forms for preparing acidic beverages, eg. by dilution or dissolution in water. In a preferred embodiment, the acid composition is a ready to drink beverage or a drink concentrate for dilution prepared from a natural fruit juice such as blackcurrant juice.

The invention is advantageously applied to acidic compositions, in particular foodstuffs and especially beverages, containing natural and/or added acidulants. The acid composition may contain organic and/or inorganic acids and may be supplemented with vitamins such as ascorbic acid. Preferred acidulants include potable acids such as citric, malic, lactic, phosphoric, acetic and tartaric acids and mixtures thereof. The invention is advantageously applied to drink products containing natural or added citric acid.

The acidulant concentration in a composition according to the invention will be determined by the type of product, the desired effective pH, the desired organoleptic properties and the acidity of the chosen acid source. The acidity of a composition may be expressed in terms of titratable acidity which is a measure of the percentage weight of acid present in a solution as calculated from the volume of sodium hydroxide required to neutralise the acidic species present. In practice, titratable acidity is measured potentiometrically with standardised sodium hydroxide solution of a known concentration at a temperature of 20 degrees Centigrade. A typical beverage will have a titratable acidity in the range 0.01 to 4% w/w and a typical fruit-based ready to drink beverage will have a titratable acidity in the range 0.1 to 2% w/w. Typically the acid concentration in compositions of the invention, for example the acid concentration in a fruit-based product would be in the range 0.01% w/w to 4% w/w, suitably in the range 0.1% w/w to 2.5% w/w. A typical ready to drink fruit beverage based on citric and/or malic acid as the acidulant will have an acid concentration in the range 0.01 to as great as 2% w/w, preferably 0.01 to 1.0 %w/w of the beverage composition. In a concentrate for dilution, typical citric/malic acid concentration will be in the range 0.1 to 4% w/w of the composition. Mixtures of potable acids may be used, for example mixtures of acids selected from citric, malic, phosphoric and lactic acids and other suitable food grade excipients known in the art

Foodstuffs such as beverages may be unsweetened or sweetened with natural sugars or synthetic sweeteners such as saccharine, aspartyl phenyl alanyl methyl ester, or other sweeteners known in the art. Compositions may also contain other conventional additives such as sodium benzoate, sorbic acid, sodium metabisulfite, ascorbic acid, flavourings, colourings and carbon dioxide.

Practice of the invention does not give rise to taste defects. Surprisingly we have found that erosive potential of acidic formulations may be minimised by the addition of polyphosphate salts to acidic preparations at low pH values and optionally low levels of calcium and/or a viscosity modifying polymer. These features endow the preparations with highly acceptable organoleptic parameters.

- The effective pH of compositions for oral use according to the invention will vary according to type of product, acid content and desired organoleptic properties. Typically, use of polyphosphate according to the invention will be practised with control of pH and the effective pH will be less than or equal to 5.5 and preferably less than or equal to 4.5. A typical effective pH range of compositions is from as low as pH 2.2 to as high as pH 5.5, suitably from pH 2.4 to pH 4.5, preferably from pH 2.4 to pH 4.0, and more preferably from pH 2.7 to pH 4.0, especially for beverages containing fruit acids.
- 10 The term effective pH is used in the context of the present invention to mean the pH of the composition when in liquid form or the pH of the composition before solidification (where the composition is a solid or semi-solid prepared via a liquid phase intermediate) or the pH of a solid or semi-solid composition when reconstituted or dissolved in a liquid, eg. water. The term solidification encompasses the treatment or supplementation
- 15 of liquid phase intermediates to form a solid or semi-solid.

Advantageously, use of polyphosphate according to the invention is used in combination with control of pH and/or addition of calcium and/or addition of viscosity modifying agents such as hydrocolloids.

20

- The pH of the formulation may be adjusted to the desired range by the addition of an appropriate alkaline compound e.g. sodium hydroxide or a suitable salt for example sodium carbonate, bicarbonate, citrate, malate or lactate. Similarly, suitable potassium and calcium compounds may be employed for this purpose. Alternatively, acidulants for
- 25 example citric acid, malic acid, lactic acid, phosphoric acid or food-approved mineral acids may be employed to reduce the pH if so desired.

- If polyphosphate is to be used in conjunction with the addition of calcium then the concentration of calcium used will vary according to the nature and concentration of the acids and the nature and concentration of the polyphosphate present. The acid solution may contain organic and/or inorganic acids and may be supplemented with vitamins such as ascorbic acid. In a concentrated beverage, to be diluted with up to five parts of water
- 30

prior to consumption, the calcium concentration may vary from 0.001 mol per litre (40ppm) to more than 0.05 mol per litre (2000ppm). In a ready to drink beverage the calcium ion concentration may vary from 0.0002 mol per litre (10ppm) to more than 0.01 mol per litre (400ppm). In a ready to use liquid form the preferred range is from 5 0.00125 to 0.0125 mol per litre (50ppm to 500ppm) calcium, more preferably from 0.00125 to 0.01 mol per litre (50ppm to 400ppm), yet more preferably from 0.00125 to 0.005 mol per litre (50ppm to 200ppm). Calcium content may also be calculated on a molar basis relative to the molarity of the acidulant. Calcium may be present in an amount up to 0.8 mol per mol of acidulant. The molar ratio of calcium to acid may be 10 from 0.01 to 0.75, is likely to be from 0.05 to 0.6, and typically from 0.1 to 0.5 for a fruit-based beverage product.

Those skilled in the art will appreciate that the combination of calcium and polyphosphate in solution must be approached with caution to avoid the formation of 15 insoluble hazes and precipitates that may occur at higher levels of calcium, although the presence of insoluble matter is dependent to a degree on the concentration and nature of acidulant, the concentration and nature of the polyphosphate preparation and in particular to the pH of the solution.

20 If added, calcium may be added as any convenient salt such as calcium carbonate, calcium hydroxide, calcium citrate, calcium malate, calcium lactate, calcium chloride, calcium phosphate, calcium glycerophosphate or calcium formate or any other salt to minimise any adverse flavour contribution to the composition.

25 In a particularly preferred embodiment of the invention, polyphosphate is used in combination with a viscosity modulating polymer material. Suitable viscosity modulating polymer materials for use in the invention include food grade complex polysaccharide stabilisers and thickening agents such as alginates, locust bean gum, gellan gum, guar gum, gum arabic, tragacanth, carrageenan, acacia gum, xanthan gums, pectins, cellulose 30 derivatives such as carboxymethylcellulose and other such natural or semi-synthetic polymer materials used in the field of foodstuffs and other compositions for oral use,

including mixtures of one or more thereof. A suitable synthetic, non-polysaccharide viscosity modulating polymer is polyvinylpyrrolidone (PVP).

Preferred complex polysaccharide materials for use in the invention include alginates, xanthans, cellulose derivatives and pectins. Combinations of such materials with polyphosphate are particularly effective. The addition of a complex polysaccharide to compositions has been shown to confer benefit with respect to inhibition of tooth erosion at very low concentrations. For example, the concentration of polysaccharide required to practice the invention may be as low as 0.005 %w/v. Benefit has been demonstrated at concentrations up to 1.0 %w/v and the upper concentration limit is likely to be determined by the desired viscosity of the composition. For a typical polysaccharide such as xanthan gum, the concentration required to practice the invention is suitably from 0.005 to 0.1 % w/v, more preferably from 0.01 to 0.05 % w/v.

Preferred pectins are in particular low and high methoxy pectins, low ester pectins and amidated or partly amidated pectins. Suitable alginates include commercially available low, medium and high viscosity alginate products. For example, low viscosity propylene glycol alginate and sodium alginate sold under the trade names Kelcoloid LVF and Manucol LF by Monsanto; medium viscosity sodium alginate sold under the trade name Manucol DH by Monsanto; and high viscosity propylene glycol alginate sold under the trade name Kelcoloid HVF by Monsanto. Suitable xanthans include a range of products available from Monsanto under the trade names Keltrol T, Keltrol RD, Keltrol TF, Keltrol SF and Keltrol BT. Suitable pectins include high methoxy pectins such as Unipectin QC40 available from SKW Biosystems; low ester pectins such as products sold under the trade names GENU LM 22 CG and GENU LM 12 CG, partly amidated low ester pectins such as products sold under the trade names GENU LM 101 AS and GENU LM 102 AS, and amidated low ester pectins such as the product sold under the trade name GENU LM 104 AS FS, all of which pectin products are available from Hercules Ltd.

Oral compositions containing polyphosphate for use according to the present invention may also contain magnesium or other ions as adjuncts for remineralisation. It may also

contain an effective amount of malic acid or potable salts thereof to maintain the solubility of the calcium (when added) so as to prevent or minimise the precipitation of insoluble calcium salts. Added malic acid may provide as little as 10% of the total acidity of the beverage, the remainder of the acidity being provided by other, preferably  
5 naturally present, acids such as citric acid, or by ascorbic acid.

In a preferred embodiment, the acid composition is a drink concentrate prepared from a natural fruit juice, such as blackcurrant juice, for example a flavoured syrup concentrate. The polyphosphate may be added either to the concentrate, especially when the beverage  
10 is sold to the consumer as a concentrate for dilution before drinking, or when diluting the syrup concentrate for preparation of a "ready to drink" diluted concentrate. Optionally the product contains reduced levels of sugar or carbohydrate or is of low calorie type containing intense sweeteners.

15 The beverages may be prepared by mixing the ingredients according to conventional methods. The solid ingredients may be dissolved in water or in hot water if required prior to addition to the other components. Typically drinks are pasteurised prior to filling in bottles or cans or other packs or are "in-pack pasteurised" after filling.

20 In a further aspect, the invention provides the use of polyphosphate, suitably being a phosphate polymer wherein the number of phosphate groups (n) is at least 3, preferably at least 7 and more preferably at least 12, as a tooth erosion inhibitor, in the manufacture of an orally administrable acidic composition.

25 In a yet further aspect, the invention provides a method of reducing the tooth erosion potential of an orally administrable acidic composition comprising adding to the composition a polyphosphate, suitably being a phosphate polymer wherein the number of phosphate groups (n) is at least 3, preferably at least 7 and more preferably at least 12.

30 The invention also extends to a method of reducing tooth erosion caused by acid in orally administrable acidic compositions by orally administering an acidic composition

comprising a polyphosphate, suitably being a phosphate polymer wherein the number of phosphate groups (n) is at least 3, preferably at least 7 and more preferably at least 12.

The following examples are illustrative of the invention.

5

### Example 1

Test solutions were prepared by dissolving the ingredients in water as described in the Table. For test solutions containing sodium polyphosphate, the average chain length (n) of the polyphosphate polymer used was 17. All solutions were prepared to give a pH of 3.0 and a titratable acidity of 0.5% w/v CAMH (citric acid monohydrate). Where calcium was added, the molar ratio of calcium : citric acid used was about 0.08. The erosive effect of the solutions was evaluated using *in-vitro* planometry tests in which flat dental enamel sections were exposed to test solutions at a temperature of 37°C for 4 hours. The method of measurement has been described by Davis and Winter 1977, British Dental Journal 143, 116-119. Erosive effect was evaluated by physical measurement of the depth of enamel (in microns) lost during the procedure.

Phosphate Salt	Phosphate salt (g/L)	Ca (ppm)	Xanthan Gum (%w/v)	4Hr Enamel Loss	SD
None	0	0	0	38.9	8.4
None	0	0	0	53.7	2.4
Na polyphosphate (n≈17)	0.5	0	0	18.8	0.7
Na polyphosphate (n≈17)	3	0	0	24.5	1.9
None	0	80	0	41.1	5.7
None	0	80	0	80	10
Na polyphosphate (n≈17)	0.25	80	0	7.4	1.1
Na polyphosphate (n≈17)	0.5	80	0	5.5	0.7
Na polyphosphate (n≈17)	0.5	80	0	6.9	1.4
Na polyphosphate (n≈17)	1	80	0	10.9	0.6
Na polyphosphate (n≈17)	1	80	0	11	1.3
Na polyphosphate (n≈17)	3	80	0	33.4	1.1
None	0	0	0.05	5.6	0.4
Na polyphosphate (n≈17)	0.5	0	0.05	1.2	0.2
Sodium phosphate	0.65	80	0	33.4	4.6
Tetra-sodium pyrophosphate	1.08	80	0	28.6	2.1
Penta-sodium triphosphate	0.61	80	0	20.1	1.8

Calcium, added as calcium carbonate (BDH Merck Ltd, Poole, Dorset, UK).

Citric acid monohydrate (CAMH) (BDH Merck Ltd, Poole, Dorset, UK).

Xanthan gum (Keltrol RD, Monsanto, Tadworth, Surrey, UK).

Sodium Polyphosphate 96% (Sigma-Aldrich Chemical Co, Poole, Dorset, UK).

5 Sodium phosphate, ACS grade (Sigma-Aldrich Chemical Co, Poole, Dorset, UK).

Tetra-sodium pyrophosphate (deca-hydrate), AnalaR grade (BDH Merck Ltd, Poole, Dorset, UK).

Penta-sodium triphosphate, (BDH Merck Ltd, Poole, Dorset, UK).

10 pH was adjusted to 3.0 in all cases by the addition of sodium hydroxide (BDH Merck Ltd, Poole, Dorset, UK).

Whereas a control solution, representing a typical beverage composition with respect to acid concentration and pH, comprising 0.5% citric acid, pH 3.0 resulted in a loss of at least 40 microns of enamel, a test solution to which had been added 0.5 g/l sodium

15 polyphosphate resulted in a loss of about 20 microns of enamel demonstrating a substantial reduction in erosive effect. Whereas a further solution comprising 0.5% citric acid, 80ppm calcium, pH 3.0 resulted in a loss of at least 40 microns of enamel, the addition of 0.5 g/l sodium polyphosphate to the solution resulted in a loss of about 6 microns of enamel demonstrating a most substantial reduction in erosive effect in the

20 presence of a small quantity of calcium. Use of 0.25g/l sodium polyphosphate was also effective. Use of 1 g/l sodium polyphosphate was also effective. Use of 3 g/l sodium polyphosphate was less effective. Whereas a solution comprising 0.5% citric acid, pH 3.0 resulted in a loss of at least 40 microns of enamel and the addition of 0.05% xanthan gum to the acid solution resulted in the loss of 5.6 microns of enamel, the addition of 0.5

25 g/l sodium polyphosphate and 0.05% xanthan gum to the acid solution resulted in a loss of only about 1.2 microns of enamel demonstrating a highly substantial reduction in erosive effect even in the absence of calcium.

The polyphosphate polymer chain length surprisingly is an important aspect of the

30 invention. Solutions were prepared containing approximately equivalent molar concentrations of phosphate groups. Whereas a solution comprising 0.5% citric acid, 80ppm calcium, pH 3.0 resulted in a loss of at least 40 microns of enamel, the addition of 0.65 g/l sodium phosphate ( $n=1$ ) to the solution resulted in a loss of about 33 microns of enamel. When the phosphate source used was sodium pyrophosphate ( $n=2$ ) the loss

35 was estimated to be about 29 microns of enamel and when sodium tri-phosphate ( $n=3$ )

was employed the loss was about 20 microns of enamel. This contrasts with a loss of only about 6 microns of enamel when 0.5 g/l sodium polyphosphate (n=17) was used.

## Example 2

### 5 The influence of polyphosphate polymer chain length.

- A. Solutions were prepared containing approximately equivalent molar concentrations of phosphate groups dissolved in 0.3% w/v citric acid monohydrate (CAMH), pH 3.4. pH was adjusted by the addition of NaOH as required. Materials were sourced as detailed in Example 1. Additionally sodium polyphosphate n≈4, 7, 28 was from Chemische Fabrik Budenheim, Budenheim, Germany, and sodium polyphosphate n≈12, 21, 25 was from Rhodia Ltd. Widnes, Cheshire, UK. Enamel specimens were placed in the solutions with stirring at 37 C for 4 hours and the amount of enamel lost from the surface during that time measured by profilometry as described previously.

Phosphate salt	Salt n	Phosphate salt (g/L)	4Hr Enamel Loss (microns)
-	0	-	41.9
Sodium phosphate	1	0.65	34.05
Tetra sodium pyrophosphate	2	1.08	34.9
Penta sodium triphosphate	3	0.61	29.6
Sodium polyphosphate	4	0.575	23.98
Sodium polyphosphate	7	0.54	12.8
Sodium polyphosphate	12	0.49	10.02
Sodium polyphosphate	17	0.5	8.98
Sodium polyphosphate	21	0.5	6.18
Sodium polyphosphate	25	0.5	7.2
Sodium polyphosphate	28	0.5	10.13

- 15 Whereas a solution comprising 0.3% citric acid, pH 3.4 resulted in a loss of about 42 microns of enamel, the addition of about 0.5 g/l sodium polyphosphate to the solution resulted in a significant reduction in loss of enamel when the polyphosphate average chain length was 7 or greater.
- 20 B. The investigation was conducted in the presence of 80ppm calcium and the following data obtained. Calcium was added as calcium carbonate.

Phosphate salt	Salt n	Phosphate salt (g/L)	4 Hr Enamel Loss (microns)
-	-	-	42.8
Sodium polyphosphate	4	0.575	8.2
Sodium polyphosphate	7	0.54	8.59
Sodium polyphosphate	28	0.5	2.87

Whereas a solution comprising 0.3% citric acid monohydrate, pH 3.4 and 80ppm calcium resulted in a loss of about 43 microns of enamel, the addition of about 0.5 g/l sodium polyphosphate to the solution resulted in a significant reduction in loss of enamel

5 when the polyphosphate average chain length was 4 or greater.

C. The investigation was repeated with the conditions altered to 0.5% w/v CAMH, pH3.0 with 80ppm calcium plus the specified phosphate compound. Sodium polyphosphate with  $n \approx 12$  was additionally sourced from Albright and Wilson UK Ltd, Oldbury, UK and sodium polyphosphate with  $n \approx 20$  from Rhodia Ltd.

Phosphate salt	Salt n	Phosphate salt (g/L)	4Hr Enamel Loss (microns)
-	0	-	41.12
Sodium phosphate	1	0.65	33.39
Tetra sodium pyrophosphate	2	1.08	28.63
Penta sodium triphosphate	3	0.61	20.09
Sodium polyphosphate	4	0.575	33.20
Sodium polyphosphate	7	0.54	25.88
Sodium polyphosphate	12	0.49	9.01
Sodium polyphosphate	12	0.49	9.63
Sodium polyphosphate	20	0.5	9.42
Sodium polyphosphate	21	0.5	8.63
Sodium polyphosphate	25	0.5	9.13
Sodium polyphosphate	28	0.5	14.14

10

Whereas a solution comprising 0.5% citric acid, pH 3.0 and 80ppm calcium resulted in a loss of about 41 microns of enamel during a 4 hour incubation, the addition of about 0.5 g/l sodium polyphosphate to the solution resulted in a substantial reduction in loss of enamel when the polyphosphate average chain length was greater than 7.

**Example 3****The effect of the concentration of polyphosphate polymer.**

The concentration of polyphosphate applied in the use of the invention is an especially  
5 important aspect. In the following demonstrations a sodium polyphosphate with average  
chain length of 25 phosphate units (Calgon 696, Rhodia Ltd) was used. The acidulant  
employed was 0.3% w/v citric acid monohydrate. Citric acid is one of the most  
commonly employed food acidulants. Adjustment of pH where required was achieved by  
the addition of NaOH. Using the method of Example 1, human dental enamel specimens  
10 were exposed to acidic solutions at the given pH in the presence of varying amounts of  
sodium polyphosphate.

**A. At pH2.8**

Sodium polyphosphate g/l	4Hr Enamel Loss (microns)
0	> 80
0.01	32.86
0.05	19.96
0.1	16.34
0.4	24.86
0.6	30.48
1	19.04
3	48.15

Under these highly aggressive conditions where the absence of polyphosphate resulted in  
15 an excessive loss of enamel the inclusion of polyphosphate substantially reduced the loss  
of enamel. In general terms, increasing the quantity of polyphosphate lead to reductions  
in the loss of enamel. However the inclusion of larger quantities of polyphosphate  
reversed the trend and resulted in an increase in loss of enamel.

**B. At pH3.4**

Sodium polyphosphate g/l	4Hr Enamel Loss (microns)
0	41.9
0.01	13.21
0.03	8.11
0.05	1.91
0.075	4.92
0.1	4.87
0.2	2.19
0.4	5.2
0.5	12.65
0.6	6.36
0.8	9.65
1	8.02
1.5	12.2
2	25.58
3	43.48

- Under these conditions where the absence of polyphosphate resulted in a substantial loss of enamel the inclusion of polyphosphate reduced the loss of enamel. In general terms,
- 5 increasing the quantity of polyphosphate was beneficial and lead to reductions in the loss of enamel. Again the inclusion of larger quantities of polyphosphate reversed the trend and resulted in an increase in loss of enamel.

**C. At pH3.8**

Sodium polyphosphate g/l	4Hr Enamel Loss (microns)
0	23.86
0.005	17.95
0.01	15.13
0.05	2.49
0.1	1.19
0.4	3
1	9.45
3	24.06

Under these conditions where the absence of polyphosphate resulted in a substantial loss of enamel the inclusion of polyphosphate reduced the loss of enamel. In general terms, increasing the quantity of polyphosphate was beneficial and lead to reductions in the loss of enamel to very low levels. Again the inclusion of larger quantities of polyphosphate

5 reversed the trend and resulted in an increase in loss of enamel.

#### Example 4

##### Observations on the pH and acid concentration.

The invention was advantageously applied to a wide range of pH values and acid

10 concentrations. Solutions were made at the given strength of citric acid monohydrate and sodium polyphosphate with average polymer chain length of 25 (Rhodia Ltd) and adjusted to the named pH with NaOH as required. The solutions were then evaluated for their erosive properties as described in Example 1.

pH	Citric acid CAMH %w/v	Sodium polyphosphate g/l	4Hr Enamel Loss (microns)
2.9	0.6	0	> 80
2.9	0.6	0.1	18.9
3.2	0.3	0	31.7
3.2	0.3	0.1	6.4
3.8	0.8	0	32.0
3.8	0.8	0.1	8.1
4.5	0.3	0	9.95
4.5	0.3	0.1	1.67
5.5	0.3	0	6.4
5.5	0.3	0.1	3.5

15 In all cases the inclusion of sodium polyphosphate produced a significant decrease in the erosivity of the acidic solution. Observations are further extended in Example 6.

#### Example 5

##### The applicability of the invention to other acidulant species.

20 The invention was advantageously applied to reducing the erosivity of acidulants other than citric acid. Solutions were made at the given strength of D,L malic acid (Aldrich

Chemical Co Ltd) or L-lactic acid (BDH Merck Ltd) including sodium polyphosphate with average polymer chain length of 25 (Rhodia Ltd) and adjusted to the named pH with NaOH as required. The solutions were then evaluated for their erosive properties as described in Example 1.

5

pH	Acid % w/v	Sodium polyphosphate g/l	4Hr Enamel Loss (microns)
3.5	0.4 malic	0	53.5
3.5	0.4 malic	0.1	6.82
3.2	0.3 lactic	0	53.9
3.2	0.3 lactic	0.1	11.6

The inclusion of sodium polyphosphate resulted in a significant decrease in the erosivity of the acidic solutions. The applicability to phosphoric acid is described in a further example illustrating reduction in erosivity of cola formulations.

10

#### Example 6

The effect of the combination of polyphosphate and viscosity modulating polymer on enamel erosion.

The co-administration of sodium polyphosphate with a viscosity modifying polymer such as a food gum resulted in an enhanced reduction in enamel erosion as illustrated by the results of the following experiments. Solutions were made at the given strength of citric acid monohydrate, food hydrocolloid and sodium polyphosphate with average polymer chain length of 25 (Rhodia Ltd). The solutions were adjusted to the named pH with NaOH as required. The solutions were then evaluated for their erosive properties as described in Example 1. Suppliers of food hydrocolloids were Monsanto / Kelco Biopolymers (xanthan gum, "Keltrol RD"), Hercules (carboxymethylcellulose, "Blanose"), ISP Alginates UK Ltd. Tadworth, Surrey (propylene glycol alginate, "Manucol ester M"), Hercules (low and high methoxypectin, "Genu" pectins).

25

pH	Citric acid CAMH %w/v	Sodium polyphosphate g/l	Xanthan gum %w/v	4Hr Enamel Loss (microns)
3.0	0.3	0	0	43.6
3.0	0.3	0.075	0.05	1.36

Whereas a solution of 0.3% citric acid monohydrate eroded a mean value of 43.6 microns of enamel from test enamel specimens the co-administration of polyphosphate and xanthan gum resulted in a loss of only 1.36 microns of enamel.

pH	Citric acid CAMH %w/v	Sodium polyphosphate g/l	Xanthan gum % w/v	4Hr Enamel Loss (microns)
2.4	0.6	0	0	> 80
2.4	0.6	0	0.05	24.3
2.4	0.6	0.1	0.05	11.7

5

Under these especially aggressive conditions of pH and acid concentration, the control condition (acid alone) exceeded the capacity of the profilometer to measure the degree of erosion. The addition of 0.05% w/v xanthan gum reduced erosion considerably but the co-administration of xanthan gum and 0.1 g/l sodium polyphosphate further reduced erosion to significant degree.

10

The following experiment was performed at pH3.2 with 0.3% w/v citric acid monohydrate. Data is provided both in the presence and the absence of the given concentration of sodium polyphosphate.

Gum %w/v	Sodium polyphosphate g/l	4Hr Enamel Loss (microns)
None	None	31.7
Xanthan 0.02	None	15
Xanthan 0.02	0.1	0.71
Xanthan 0.03	None	9.5
Xanthan 0.03	0.05	2.8
Xanthan 0.03	0.075	1.84
Xanthan 0.03	0.1	0.13
Xanthan 0.05	None	7.9
Xanthan 0.05	0.075	0.41

Xanthan 0.05	0.1	0.21
Carboxymethylcellulose 0.15	None	11.3
Carboxymethylcellulose 0.15	0.075	3.0
PG alginate 0.4	None	6.2
PG alginate 0.4	0.1	1.4
Low methoxypectin 0.5	None	4.3
Low methoxypectin 0.5	0.1	0.55
High methoxypectin 0.8	None	11
High methoxypectin 0.8	0.1	0.54

In all instances the co-administration of food hydrocolloid with sodium polyphosphate resulted in an enhanced reduction in the degree of erosion of dental enamel over that observed with gum alone.

## 5 Example 7

### The effect of the combination of polyphosphate and calcium on enamel erosion.

The co-administration of sodium polyphosphate with calcium resulted in an enhanced reduction in enamel erosion as illustrated by the results of the following experiments.

The molar ratio of calcium to citric acid employed was 0.14 (with 80ppm calcium),  
 10 0.175 (with 100ppm calcium) and 0.35 (with 200ppm calcium). Solutions were made with 0.3% w/v citric acid monohydrate, calcium (BDH Merck) added as calcium carbonate and sodium polyphosphate with average polymer chain length of 25 (Rhodia Ltd). The solutions were adjusted to the named pH with NaOH or sulphuric acid as required. The solutions were then evaluated for their erosive properties as described in

## 15 Example 1.

pH	Ca (ppm)	Sodium polyphosphate g/l	4Hr Enamel Loss (microns)
3.2	100	None	31.5
3.2	100	0.075	4.5
3.2	100	0.1	4.4
3.2	200	None	25.2
3.2	200	0.075	3.1
3.4	None	None	41.9
3.4	80	None	42.8
3.4	None	0.2	11
3.4	80	0.2	3.5

Similarly further experiments evaluated the influence of calcium when the average chain length of sodium polyphosphate employed was 4, 7 and 28, at pH 3.4 with 0.3% w/v citric acid monohydrate. Suppliers of sodium polyphosphate were as given in Example 2.

Ca (ppm)	Sodium polyphosphate g/l	Polyphosphate av. Chain length	4Hr Enamel Loss (microns)
None	0.575	4	24.0
80	0.575	4	8.2
None	0.54	7	20.7
80	0.54	7	8.6
None	0.5	28	10.1
80	0.5	28	2.9

5

A beverage concentrate was prepared using the following ingredients:

Ingredient	Grams / litre
Water	To 1 litre
Citric acid monohydrate	11.25
Trisodium citrate dihydrate	5.25
Potassium sorbate	0.8
Flavourings	5
Aspartame	1.7
Acesulfame-K	0.6
Sodium polyphosphate (n≈25)	1.0
Calcium carbonate	1.0

- 10 The concentrate is intended for dilution with 4 parts of water prior to consumption. The concentrate had a pH of approximately 3.75 and contained 400ppm calcium. The concentrate had a very slight turbidity that could be readily masked by colouring and clouding agents known in the art.

#### 15 Example 8

The effect of the combination of polyphosphate, viscosity modulating polymer and calcium on enamel erosion.

The co-administration of sodium polyphosphate with a viscosity modifying polymer such as a food gum and calcium resulted in an enhanced reduction in enamel erosion as

- illustrated by the results of the following experiments. Solutions were made with 0.3 % w/v citric acid monohydrate, xanthan gum (Kelco), calcium (added as calcium carbonate) and sodium polyphosphate with average polymer chain length of 25 (Rhodia Ltd). The solutions were adjusted to the named pH with NaOH or sulphuric acid as required. The solutions were then evaluated for their erosive properties as described in Example 1. The molar ratios of calcium to acid employed ranged from 0.14 to 0.35.

pH	Xanthan gum %w/v	Sodium polyphosphate g/l	Ca (ppm)	4Hr Enamel Loss (microns)
3.2	0.05	0.075	100	0.27
3.2	0.05	0.1	100	0.55
3.2	0.02	0.1	200	0.81

- As can be noted the co-administration of polyphosphate, food gum and calcium resulted in exceptionally low levels of erosion in the assay.

### Example 9

#### Application to fruit juice flavoured beverages.

- The following fruit drink concentrates for dilution were prepared using the following ingredients. Sodium polyphosphate was added as the final ingredient where applied. In each case the beverage concentrate was adjusted to a pH of 3.2.

#### **Control Drink**

Ingredient	%w/w
Water	64.297
Blackcurrant Juice	35.0
Ascorbic Acid	0.271
Aspartame	0.173
Acesulfame K	0.058
Potassium Sorbate	0.079
Flavourings	0.122

**Drink with polyphosphate**

<b>Ingredient</b>	<b>%w/w</b>
Water	64.199
Blackcurrant Juice	35.0
Ascorbic Acid	0.271
Aspartame	0.173
Acesulfame K	0.058
Potassium Sorbate	0.079
Flavourings	0.122
Sodium Polyphosphate	0.0098

**5 Drink with polyphosphate and food gum**

<b>Ingredient</b>	<b>%w/w</b>
Water	64.199
Blackcurrant Juice	35.0
Ascorbic Acid	0.271
Aspartame	0.173
Acesulfame K	0.058
Potassium Sorbate	0.079
Flavourings	0.122
Xanthan Gum	0.147
Sodium Polyphosphate	0.0098

The following table summarises the analytical characteristics of the fruit drinks.

<b>Variant</b>	<b>Sodium Polyphosphate (g/L) as RTD*</b>	<b>Xanthan Gum (g/L) as RTD</b>	<b>Acidity (%w/w CAMH) as concentrate</b>	<b>pH as RTD</b>
Control	0	0	1.22	3.27
With sodium polyphosphate	0.1	0	1.20	3.26
With sodium polyphosphate and xanthan gum	0.1	0.3	1.20	3.28

\*RTD is defined as ready to drink i.e. after dilution.

The erosivity of the beverages was evaluated using the method described in Example 1 after dilution of one part with four equal parts of a mineral water (Volvic, Danone Group Ltd). Whereas the control drink without the addition of xanthan gum removed 41  
5 microns of enamel in 4 hours, the beverage including sodium polyphosphate (n≈25, Rhodia Ltd) removed 7 microns but the beverage with the same quantity of polyphosphate and the addition of xanthan gum only removed 1 micron of enamel demonstrating the utility of the invention. All beverages had excellent organoleptic characteristics.

10

### Example 10

#### Application to sports drinks

An experimental sport drink formulation was made as per the following list of ingredients with and without the addition of sodium polyphosphate (n≈25, Rhodia Ltd).

#### 15 Isotonic Grapefruit Flavoured Sport Drink

Ingredient	%w/w
Water	90.31
Carbohydrate Syrup 027*	8.838
Trisodium citrate dihydrate	0.195
Citric Acid	0.536
Aspartame	0.009
Acesulfame K	0.005
Potassium Sorbate	0.029
Sodium Benzoate	0.007
Grapefruit Flavouring	0.073

#### Isotonic Grapefruit Flavoured Sport Drink (with polyphosphate)

Ingredient	%w/w
Water	90.29

Carbohydrate Syrup 027*	8.838
Trisodium citrate dihydrate	0.195
Citric Acid	0.536
Aspartame	0.009
Acesulfame K	0.005
Potassium Sorbate	0.029
Sodium Benzoate	0.007
Grapefruit Flavouring	0.073
Sodium polyphosphate	0.0195

\* Contains glucose syrup and maltodextrin.

Sodium polyphosphate was added as the final ingredient.

**Analytical characteristics:**

Variant	Sodium polyphosphate (g/L)	Acidity (%w/w CAMH)	pH
Without sodium polyphosphate	0	0.6	3.4
With sodium polyphosphate	0.2	0.58	3.42

5

Whereas the control formulation without sodium polyphosphate resulted in the loss of 60 microns of enamel after a 4 hour incubation with enamel at 37C, the test formulation removed only 2.6 microns of enamel, demonstrating the utility of the invention.

10 **Example 11**

**Application to dry powdered drinks.**

A powdered sport drink formulation was made according to the following list of ingredients that are dry blended typically using a ribbon blender until an homogeneous mixture is obtained. The product is then filled into appropriate packaging such as sachets, jars or drums.

15

Ingredients	Kg
Dextrose monohydrate	390
Maltodextrin	532
Aspartame	0.58
Acesulfame-k	0.37
Trisodium citrate	16.5
Sodium chloride	9.3
Citric acid	37
Ascorbic acid	1.15
Potassium citrate	2.3
Orange flavour	3
Beta carotene (1%)	5.8
Sodium polyphosphate (n≈25, Rhodia Ltd)	2
Total	1000

100g of the powder was dissolved in water to a final volume of 1 litre to make an orange sport drink. The drink had a pH of approximately 4.

## 5 Example 12

### Application to fruit juice

Orange juice has been evaluated for its erosive properties *in situ*. See for example West et al "A method to measure clinical erosion: the effect of orange juice consumption on erosion of enamel." Journal of Dentistry (1998) Vol 26 pp 329 – 335 and Hughes et al.

- 10 "Development and evaluation of a low erosive blackcurrant juice drink *in vitro* and *in situ* 1. Comparison with orange juice." Journal of Dentistry (1999) Vol 27 pp 285 – 289 and was found to be moderately erosive. The erosivity of a commercial orange juice (Gerber Soft Drinks, Somerset, UK) was reduced by the addition of 0.1g/l sodium polyphosphate (n≈25, Rhodia Ltd.). This example of pure orange juice (diluted from
- 15 orange juice concentrate) was characterised and contained 120 mg/l calcium, had a pH of 3.8 and titratable acidity value of 0.7% w/w CAMH. A sample without the addition of

sodium polyphosphate removed 21.3 microns of enamel whereas with the addition of sodium polyphosphate 1.6 microns only was removed.

### Example 13

#### 5 Application to cola beverages

Cola beverages based on phosphoric acid also fall within the scope of the invention. A standard cola and a diet cola, made from commercial materials supplied by Quest Ltd, were manufactured using the following ingredients, both with and without the addition of 0.2 g/l sodium polyphosphate (n<sub>25</sub>, Rhodia Ltd.). The pH of the beverages was

10 approximately 2.8 (standard cola) and 3.4 (diet cola). These were assessed for erosivity as per the previously described method.

#### **Full Sugar Cola**

Ingredient	%w/w
Water	86.98
Sucrose	12.74
Colour (caramel)	0.145
Phosphoric Acid	0.085
Potassium sorbate	0.038
Caffeine	0.007
Flavouring	0.002

#### 15 **Full Sugar Cola (with polyphosphate)**

Ingredient	%w/w
Water	86.96
Sucrose	12.74
Colour (caramel)	0.145
Phosphoric Acid	0.085
Potassium sorbate	0.038
Sodium polyphosphate	0.019

Caffeine	0.007
Flavouring	0.002

**Diet Cola**

Ingredient	%w/w
Water	99.67
Colour (caramel)	0.145
Phosphoric Acid	0.085
Citric acid	0.018
Aspartame	0.05
Potassium sorbate	0.038
Trisodium citrate dihydrate	0.019
Caffeine	0.007
Acesulfame K	0.004
Flavouring	0.002

**5 Diet Cola (with polyphosphate)**

Ingredient	%w/w
Water	99.65
Colour (caramel)	0.145
Phosphoric Acid	0.085
Citric acid	0.018
Aspartame	0.05
Potassium sorbate	0.038
Trisodium citrate dihydrate	0.019
Sodium polyphosphate	0.019
Caffeine	0.007
Acesulfame K	0.004
Flavouring	0.002

The test and control products had the following analytical characteristics:

Variant	Sodium polyphosphate (g/L)	Acidity (%w/w expressed in terms of CAMH)	pH
Full sugar cola control	0	0.095	2.8
Full sugar cola with polyphosphate	0.2	0.098	2.84
Diet cola control	0	0.086	3.45
Diet cola control with polyphosphate	0.2	0.086	3.41

Whereas the control full sugar cola removed 42.9 microns of enamel in 4 hours the formulation supplemented with sodium polyphosphate removed only 10.5 microns.

Similarly, the control diet cola removed 27.6 microns of enamel in 4 hours. However the formulation supplemented with sodium polyphosphate removed only 6 microns. Both

- 5 these examples demonstrate the substantial reduction in erosive power that may be made using the invention.

#### Example 14

##### Application to flavoured acidified waters

- 10 Those skilled in the art of beverage manufacture will appreciate that the invention may be applied to diverse beverages, both unsweetened and sweetened, either of low or conventional calorific content made with artificial sweeteners or carbohydrate sweeteners. By way of example a lemonade was made according to the following schedule of ingredients.

Ingredient	Grams per litre syrup
Citric acid monohydrate	11.25
Trisodium citrate dihydrate	5.25
Sodium benzoate	0.5
Aspartame	1.15
Acesulfame-k	1.8
Flavouring - lemon	5
Sodium polyphosphate (n≈25, Rhodia Ltd.)	1
Water	To 1 litre

- 15 Finished product was made by mixing one part syrup with four parts carbonated water and had a pH of approximately 3.4. Optionally the syrup can contain food hydrocolloids, for example 1 gram per litre xanthan gum.

**Example 15****Application to confectionery and diverse acidic lozenges**

Acidic confectionery may be erosive; for example see Lussi et al, "Erosion on abraded dental hard tissues by acid lozenges: an in situ study" Clin Oral Invest (1997) 1: 191 -

- 5 194. Solid formats such as acidic confectionery may be made less erosive by the application of the invention. A pastille was made according to the following schedule.

<b>Ingredient</b>	<b>Grams / batch</b>
Sucrose	180
Glucose syrup 42DE	120
Water	90

- 10 Boil above mix until a value of 80 degrees brix is achieved, remove 260g, cool to 100 degrees C. and add to dissolved gelatin mix detailed below. Mix thoroughly.

<b>Ingredient</b>	<b>Grams / batch</b>
Boiling water	93.5
Gelatin - 150 bloom	32
Blackcurrant juice 5 fold concentrate	8
Citric acid	0.8
Flavouring	4
Sodium polyphosphate (n≈25, Rhodia Ltd)	0.25
Aspartame	0.12
Acesulfame-k	0.06

- Deposit into starch moulds. Place filled moulds into biscuit oven at 50C for 2 hours. Remove pastilles from moulds when cool. Similar examples may readily be made by substitution of the sugars sucrose / glucose from a selection of sugars of reduced
- 15 cariogenic potential such as sugar alcohols, trehalose and diverse sweetening / bulking agents known in the art.

**Example 16****Application to frozen acidic comestibles**

A solution was prepared by mixing ingredients as follows:

Ingredient	%w/w
Sugar	20
Orange juice	5
Ascorbic acid	0.03
Citric acid monohydrate	0.225
Trisodium citrate dihydrate	0.11
Flavouring	0.1
Sodium polyphosphate (n≈25)	0.02
Water	To 100

- 5 The solution had a pH of approximately 3.4. The solution can be solidified by freezing, preferably at temperatures around minus 20 degrees C.

## CLAIMS

1. Use of polyphosphate, being a phosphate polymer wherein the number of phosphate groups (n) is at least 3, as a tooth erosion inhibitor in the manufacture of an orally administrable acidic composition.
2. Use as claimed in claim 1 wherein the number of phosphate groups (n) is at least 7.
3. Use as claimed in claim 2 wherein the number of phosphate groups (n) is at least 12.
4. Use as claimed in claim 1 or 2 wherein the polyphosphate is sodium polyphosphate having an average number of phosphate groups (n) in the range 7 to 30.
5. Use as claimed in claims 1 to 3 wherein the polyphosphate concentration in the acidic composition, expressed as the concentration of sodium polyphosphate, is in the range 0.005 to 3.0 g/l.
6. Use as claimed in claims 5 wherein the polyphosphate concentration in the acidic composition, expressed as the concentration of sodium polyphosphate, is in the range 0.01 to 1.5 g/l.
7. Use as claimed in any one of claims 1 to 6 wherein the effective pH of the acidic composition is in the range 2.2 to 5.5.
8. Use as claimed in any one of claims 1 to 7 wherein the acidic composition contains a calcium compound such that calcium is present in the composition in an amount up to 0.8 mol per mol of acid.

9. Use as claimed in any one of claims 1 to 8 wherein the acidic composition contains a viscosity modifying polymer.
- 5 10. Use as claimed in claim 6 wherein the viscosity modifying polymer is an alginate, a xanthan, a cellulose derivative or a pectin.
11. Use as claimed in any one of claims 1 to 10 wherein the acidic composition is a beverage or a liquid or solid concentrate for the preparation of a beverage.
- 10 12. Use as claimed in claim 11 wherein the beverage has a pH in the range 2.4 to 4.5.
13. Use as claimed in claim 11 wherein the beverage has a titratable acidity in the range 0.01 to 4.0%w/w.
- 15 14. A method of reducing the tooth erosion potential of an orally administrable acidic composition comprising adding to the composition a polyphosphate, being a phosphate polymer wherein the number of phosphate groups (n) is at least 3.
- 20 15. A method of reducing tooth erosion caused by acid in orally administrable acidic compositions by orally administering an acidic composition comprising a polyphosphate, being a phosphate polymer wherein the number of phosphate groups (n) is at least 3,
- 25

# INTERNATIONAL SEARCH REPORT

Inte 1st Application No  
PCT/EP 01/03280

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 A23L1/304 A23L2/52 A61K7/16

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 A23L A61K A23G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, FSTA

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE WPI Section Ch, Week 199805 Derwent Publications Ltd., London, GB; Class B06, AN 1998-046919 XP002174498 -& JP 09 295942 A (ISHINO K), 18 November 1997 (1997-11-18)	1-8, 14, 15
Y	abstract	9, 10
X	US 5 017 362 A (GAFFAR ABDUL ET AL) 21 May 1991 (1991-05-21) claims; examples	1, 5-7, 9, 10, 14, 15
E	WO 01 52796 A (PROCTER & GAMBLE) 26 July 2001 (2001-07-26) the whole document	1-15
	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*G\* document member of the same patent family

Date of the actual completion of the international search

3 September 2001

Date of mailing of the international search report

13/09/2001

Name and mailing address of the ISA  
European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl  
Fax: (+31-70) 340-3016

Authorized officer

Boddaert, P

## INTERNATIONAL SEARCH REPORT

Inte al Application No  
PCT/EP 01/03280

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 096 701 A (WHITE JR DONALD J ET AL) 17 March 1992 (1992-03-17) column 7; claims	1,5-7,9, 10,14,15
X	DATABASE WPI Section Ch, Week 199226 Derwent Publications Ltd., London, GB; Class B06, AN 1992-211984 XP002174499 -& JP 04 139120 A (LION CORP), 13 May 1992 (1992-05-13) abstract	1-7
X	PATENT ABSTRACTS OF JAPAN vol. 1997, no. 03, 31 March 1997 (1997-03-31) -& JP 08 301742 A (EZAKI GLICO CO LTD), 19 November 1996 (1996-11-19) abstract	1-15
X	WO 98 22080 A (PROCTER & GAMBLE) 28 May 1998 (1998-05-28) page 3 page 4; claims	1-6,9,10
X	PATENT ABSTRACTS OF JAPAN vol. 010, no. 194 (C-358), 8 July 1986 (1986-07-08) -& JP 61 036211 A (LION CORP), 20 February 1986 (1986-02-20) abstract	1
Y	WO 00 13531 A (BAKER NICOLA JANE ;PARKER DAVID MYATT (GB); SMITHKLINE BEECHAM PLC) 16 March 2000 (2000-03-16) cited in the application claims	9,10
A	FR 2 731 588 A (SYSTEMES BIO IND) 20 September 1996 (1996-09-20)	

## INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 01/03280

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
JP 9295942	A	18-11-1997	NONE		
US 5017362	A	21-05-1991	US	4889713 A	26-12-1989
			US	4627977 A	09-12-1986
			US	4806340 A	21-02-1989
			US	4808400 A	28-02-1989
			AT	406015 B	25-01-2000
			AT	237586 A	15-05-1989
			AT	406016 B	25-01-2000
			AT	237686 A	15-05-1989
			AU	594703 B	15-03-1990
			AU	6204986 A	19-03-1987
			BE	905428 A	12-03-1987
			BE	905429 A	12-03-1987
			BR	8604377 A	12-05-1987
			CA	1332359 A	11-10-1994
			CA	1275937 A	06-11-1990
			CH	668907 A	15-02-1989
			CH	668908 A	15-02-1989
			DE	3629503 A	26-03-1987
			DE	3629504 A	26-03-1987
			DE	3645147 C	09-11-2000
			DK	433386 A	14-03-1987
			DK	433486 A	14-03-1987
			EG	18045 A	28-02-1993
			ES	2003096 A	16-10-1988
			ES	2013787 A	01-06-1990
			FI	863708 A,B,	14-03-1987
			FI	863709 A,B,	14-03-1987
			FR	2587211 A	20-03-1987
			GB	2180157 A,B	25-03-1987
			GB	2182244 A,B	13-05-1987
			GB	2211738 A	12-07-1989
			GR	862312 A	19-01-1987
			GR	862314 A	29-01-1987
			HK	26793 A	02-04-1993
			HK	53293 A	11-06-1993
			IE	59557 B	09-03-1994
			IE	59532 B	09-03-1994
			IL	96686 A	25-05-1992
			IL	79892 A	21-06-1992
			IL	79893 A	25-05-1992
			IL	94197 A	21-06-1992
			IN	167015 A	18-08-1990
			IT	1196621 B	16-11-1988
			IT	1196622 B	16-11-1988
			JP	8018961 B	28-02-1996
			JP	62096409 A	02-05-1987
			JP	1826372 C	28-02-1994
			JP	5030803 B	11-05-1993
			JP	62111911 A	22-05-1987
			KR	9306345 B	14-07-1993
WO 0152796	A	26-07-2001	NONE		
US 5096701	A	17-03-1992	AT	134506 T	15-03-1996
			AU	9158891 A	22-07-1992
			CA	2097493 C	14-10-1997

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No  
PCT/EP 01/03280

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5096701 A		DE 69117532 D	04-04-1996
		DE 69117532 T	02-10-1996
		DK 563265 T	01-07-1996
		EP 0563265 A	06-10-1993
		ES 2083734 T	16-04-1996
		GR 3019160 T	31-05-1996
		WO 9210993 A	09-07-1992
		US 5176900 A	05-01-1993
JP 4139120 A	13-05-1992	NONE	
JP 08301742 A	19-11-1996	NONE	
WO 9822080 A	28-05-1998	US 6190644 B	20-02-2001
		AU 5444098 A	10-06-1998
		CN 1238675 A	15-12-1999
		CZ 9901810 A	15-09-1999
		EP 0959871 A	01-12-1999
		HU 9903606 A	28-03-2000
		SK 67999 A	18-01-2000
		TR 9901099 T	21-07-1999
JP 61036211 A	20-02-1986	NONE	
WO 0013531 A	16-03-2000	AU 5857599 A	27-03-2000
		BR 9913539 A	05-06-2001
		EP 1112003 A	04-07-2001
FR 2731588 A	20-09-1996	US 5866190 A	02-02-1999